

RGBAW+UV PAR with AnyFi™ Universal Wireless DMX

Searching for that special indoor rated LED par can that is totally bright, loaded with features, available in either black or white housing, and as quiet as a church mouse? Look no further than Colorise™ LED par cans!

Colorise™ EXA fixtures come fitted with 12* 15W high output 6-in-1 RGBAW+UV LEDs with a 25° beam angle, and also feature our new, built-in AnyFi™ wireless DMX receiver, which can flawlessly support both standard 2.4Ghz and W-DMX™ wireless DMX signal types for ultimate wireless DMX connectivity capability.

They also feature highly efficient, natural convection cooling thanks to their attractive cast aluminum housing with heat sink design. There are no internal cooling fans in these fixtures, which mean absolutely zero noise. Colorise™ EXA LED PAR cans are a great choice for any "sound-sensitive" environment.

Users can control Colorise™ EXA fixtures in master/slave using either 4/5/6/7/9 or 12-channels of DMX, and it has a well-structured, easy to navigate LED control panel menu with 4 electronically touch sensitive navigation buttons that make programming (and button pushing) a breeze!

There are 5 built-in auto programs that can be accessed individually via the control panel, or in DMX mode with a separate speed control channel. Users can also program and store up to 3 of their own 20 scene programs, which can also be accessed in DMX mode. Scenes may consist of custom colors, strobe effects, color fades, or even insert any of its built-in programs with separate speed control settings.

Some other remarkable features of Colorise™ EXA fixtures include their many built-in preset colors + white color temperature settings, variable electronic dimmer & strobe, menu key lock, flicker-free constant-current LED driver, color calibration settings, 2 sound active modes (color and white strobe only), and 32-bit dimming curve settings for smoother (and slower) dimming capabilities.

Colorise™ EXA fixtures also come equipped with dual mounting brackets, industry standard PowerCON® compatible power input/output connections, 3/5-pin DMX in/out jacks, and are available in either black or white colored housing!

Main Features

- 12x 15W 6-in-1 RGBAW+UV LEDs, 100,000 hours
- Built-in AnyFi™ wireless DMX receiver (user selectable 2.4Ghz or W-DMX™)
- Natural convection cooled, totally silent operation
- User selectable 32-bit dimming curves
- Variable electronic dimmer strobe
- Built-in color & chase macros via DMX
- Built-in auto programs & sound active in standalone and M/S
- Color mixing ability in standalone mode
- 25 degree beam angle
- User selectable 4/5/6/7/9 or 12-channel DMX modes
- Flicker-free constant-current LED driver
- LED control panel with 4* touch sensitive buttons
- Control panel button lock/key
- 3/5-pin male input and 3/5-pin female output
- PowerCon™ compatible AC power In/Out connectors

Luminous Intensity

Lux/Meter	1 Meter	2 Meter
Red	2,796 Lux	790 Lux
Green	2,712 Lux	742 Lux
Blue	2,480 Lux	707 Lux
Amber	1,720 Lux	490 Lux
White	4,960 Lux	1,197 Lux
All	13,680 Lux	3,633 Lux

COLORISE

EXA

AnyFi™



Power

- Voltage: 100-264VAC, 47-63 Hertz
- Power Consumption: 101W, 1.3A, PF: .64

Optical

- 12x 15W 6-in-1 RGBAW+UV
- 25 degree beam angle

Thermal

- Max. Operating Temp.: 104 degrees F (40 degrees C) ambient

Control

- Protocol: USITT DMX-512
- DMX Channels: 4/5/6/7/9 or 12-channel
- Input: 3/5-pin XLR Male
- Output: 3/5-pin XLR Female
- Standalone, Master/Slave, Sound Active, Color Preset

AnyFi™ Wireless Receiver

- Frequency Hopping W-DMX™ Protocol
- 2.4Ghz ISM (2.402-2.48Ghz), 512 channels, 7 frequency groups
- Less Than 5ms Latency
- Receiver sensitivity: -94dBm

Weight & Dimensions

- Dimensions: 10.7" (272.1 mm) x 5.7" (144 mm) x 11.2 inches (284.1 mm)
- Weight: 11.5 lbs. (5.2 kg)

Warranty

- 2-year limited warranty, does not cover malfunction caused by damage to LEDs